


Serum C8 By Lymphocyte Levels In Participants ≥ 18 Years Of Age

C8 (ng-mL)

Lymphocytes	Gender	N	Mean
LOW	Female	416	54.1026
	Male	462	99.7210
	Total	878	78.1068
NORMAL	Female	28351	70.0644
	Male	25759	103.3432
	Total	54110	85.9067
HIGH	Female	455	72.7692
	Male	324	85.5383
	Total	779	78.0801
Total	Female	29222	69.8793
	Male	26545	103.0628
	Total	55767	85.6746

Serum C8 By Lymphocyte Levels In Participants ≥ 18 Years Of Age



Low <14, Normal 14-46, High >46 (Units: %)

Source: Labcorp Sample Test

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.