


***Self-Reported Diagnosis of Thyroid Disease in Adults
Stratified by Gender and Age***

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Thyroid Disease	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	2710	89.97%
Female	1	30-50	Yes	3012	302	10.03%
Female	1	51-older	No	2738	2192	80.06%
Female	1	51-older	Yes	2738	546	19.94%
Female	2	30-50	No	3036	2752	90.65%
Female	2	30-50	Yes	3036	284	9.35%
Female	2	51-older	No	2749	2237	81.38%
Female	2	51-older	Yes	2749	512	18.62%
Female	3	30-50	No	3015	2728	90.48%
Female	3	30-50	Yes	3015	287	9.52%
Female	3	51-older	No	2744	2197	80.07%
Female	3	51-older	Yes	2744	547	19.93%
Female	4	30-50	No	3022	2711	89.71%
Female	4	30-50	Yes	3022	311	10.29%
Female	4	51-older	No	2739	2173	79.34%
Female	4	51-older	Yes	2739	566	20.66%
Male	1	30-50	No	2601	2551	98.08%
Male	1	30-50	Yes	2601	50	1.92%
Male	1	51-older	No	2668	2515	94.27%
Male	1	51-older	Yes	2668	153	5.73%
Male	2	30-50	No	2621	2576	98.28%
Male	2	30-50	Yes	2621	45	1.72%
Male	2	51-older	No	2649	2514	94.90%
Male	2	51-older	Yes	2649	135	5.10%
Male	3	30-50	No	2603	2557	98.23%
Male	3	30-50	Yes	2603	46	1.77%
Male	3	51-older	No	2662	2531	95.08%
Male	3	51-older	Yes	2662	131	4.92%
Male	4	30-50	No	2608	2565	98.35%
Male	4	30-50	Yes	2608	43	1.65%
Male	4	51-older	No	2659	2512	94.47%
Male	4	51-older	Yes	2659	147	5.53%

NOTE: All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Thyroid Disease and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Thyroid Disease in Female Adults Stratified by Age



Self- Reported Diagnosis of Thyroid Disease in Male Adults Stratified by Age

