


***Self-Reported Diagnosis of Thyroid Cancer in Adults
Stratified by Gender and Age***

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Thyroid Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3004	99.73%
Female	1	30-50	Yes	3012	8	0.27%
Female	1	51-older	No	2738	2730	99.71%
Female	1	51-older	Yes	2738	8	0.29%
Female	2	30-50	No	3036	3031	99.84%
Female	2	30-50	Yes	3036	5	0.16%
Female	2	51-older	No	2748	2742	99.78%
Female	2	51-older	Yes	2748	6	0.22%
Female	3	30-50	No	3015	3007	99.73%
Female	3	30-50	Yes	3015	8	0.27%
Female	3	51-older	No	2737	2729	99.71%
Female	3	51-older	Yes	2737	8	0.29%
Female	4	30-50	No	3022	3017	99.83%
Female	4	30-50	Yes	3022	5	0.17%
Female	4	51-older	No	2745	2734	99.60%
Female	4	51-older	Yes	2745	11	0.40%
Male	1	30-50	No	2601	2601	100.0%
Male	1	51-older	No	2668	2657	99.59%
Male	1	51-older	Yes	2668	11	0.41%
Male	2	30-50	No	2621	2619	99.92%
Male	2	30-50	Yes	2621	2	0.08%
Male	2	51-older	No	2649	2646	99.89%
Male	2	51-older	Yes	2649	3	0.11%
Male	3	30-50	No	2603	2603	100.0%
Male	3	51-older	No	2661	2660	99.96%
Male	3	51-older	Yes	2661	1	0.04%
Male	4	30-50	No	2608	2608	100.0%
Male	4	51-older	No	2659	2655	99.85%
Male	4	51-older	Yes	2659	4	0.15%

NOTE: All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Thyroid Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Thyroid Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Thyroid Cancer in Male Adults Stratified by Age

