

Self-Reported Clinical Symptoms: Stomach Swells or is Bloating


All Age and Gender Groups

NOTE: Symptoms were self reported by participants and were not independently verified with medical records or by a health care professional. Limited information about the characteristics of the self-reported symptoms, such as severity, duration, or history, was collected. Inferences about population health or associations based on these self-reported symptoms should be made cautiously.


SELF-REPORTED CLINICAL SYMPTOMS BY GENDER AND AGE GROUP: BLOATED OR SWOLLEN STOMACH

Gender				Bloating or Swollen Stomach				Total
				Frequently	Sometimes	Rarely	Never	
Female	Age Group	0-10	Count	21	83	176	2410	2690
			Percent (%)	.8%	3.1%	6.5%	89.6%	100.0%
		11-20	Count	147	662	826	3135	4770
			Percent (%)	3.1%	13.9%	17.3%	65.7%	100.0%
		21-30	Count	450	1274	1282	2402	5408
			Percent (%)	8.3%	23.6%	23.7%	44.4%	100.0%
		31-40	Count	662	1675	1326	2128	5791
			Percent (%)	11.4%	28.9%	22.9%	36.7%	100.0%
		41-50	Count	765	1887	1548	2213	6413
			Percent (%)	11.9%	29.4%	24.1%	34.5%	100.0%
		51-60	Count	573	1440	1230	2014	5257
			Percent (%)	10.9%	27.4%	23.4%	38.3%	100.0%
		61-70	Count	297	817	716	1499	3329
			Percent (%)	8.9%	24.5%	21.5%	45.0%	100.0%
		71-80	Count	119	337	309	806	1571
			Percent (%)	7.6%	21.5%	19.7%	51.3%	100.0%
		>80	Count	44	100	110	305	559
			Percent (%)	7.9%	17.9%	19.7%	54.6%	100.0%
	Total		Count	3078	8275	7523	16912	35788
			Percent (%)	8.6%	23.1%	21.0%	47.3%	100.0%
Male	Age Group	0-10	Count	19	65	161	2458	2703
			Percent (%)	.7%	2.4%	6.0%	90.9%	100.0%
		11-20	Count	37	173	449	4302	4961
			Percent (%)	.7%	3.5%	9.1%	86.7%	100.0%
		21-30	Count	105	381	699	3414	4599
			Percent (%)	2.3%	8.3%	15.2%	74.2%	100.0%
		31-40	Count	183	574	850	3273	4880
			Percent (%)	3.8%	11.8%	17.4%	67.1%	100.0%
		41-50	Count	203	792	1004	3675	5674
			Percent (%)	3.6%	14.0%	17.7%	64.8%	100.0%
		51-60	Count	200	741	969	3163	5073
			Percent (%)	3.9%	14.6%	19.1%	62.3%	100.0%
		61-70	Count	142	466	599	2198	3405
			Percent (%)	4.2%	13.7%	17.6%	64.6%	100.0%
		71-80	Count	40	198	239	1120	1597
			Percent (%)	2.5%	12.4%	15.0%	70.1%	100.0%
		>80	Count	9	39	50	252	350
			Percent (%)	2.6%	11.1%	14.3%	72.0%	100.0%
	Total		Count	938	3429	5020	23855	33242
			Percent (%)	2.8%	10.3%	15.1%	71.8%	100.0%

BLOATED OR SWOLLEN STOMACH IN FEMALES BY AGE GROUP



BLOATED OR SWOLLEN STOMACH IN MALES BY AGE GROUP



BLOATED OR SWOLLEN STOMACH BY GENDER AND AGE GROUP

