

Self-Reported Clinical Symptoms: Poor Bladder Control


All Age and Gender Groups

NOTE: Symptoms were self reported by participants and were not independently verified with medical records or by a health care professional. Limited information about the characteristics of the self-reported symptoms, such as severity, duration, or history, was collected. Inferences about population health or associations based on these self-reported symptoms should be made cautiously.


SELF-REPORTED CLINICAL SYMPTOMS BY GENDER AND AGE GROUP: LOSS OF BLADDER CONTROL

Gender				Loss of Bladder Control				Total
				Frequently	Sometimes	Rarely	Never	
Female	Age Group	0-10	Count	70	114	192	2314	2690
			Percent (%)	2.6%	4.2%	7.1%	86.0%	100.0%
		11-20	Count	114	185	311	4160	4770
			Percent (%)	2.4%	3.9%	6.5%	87.2%	100.0%
		21-30	Count	248	550	763	3847	5408
			Percent (%)	4.6%	10.2%	14.1%	71.1%	100.0%
		31-40	Count	463	894	1096	3338	5791
			Percent (%)	8.0%	15.4%	18.9%	57.6%	100.0%
		41-50	Count	803	1278	1364	2968	6413
			Percent (%)	12.5%	19.9%	21.3%	46.3%	100.0%
		51-60	Count	771	1258	1150	2078	5257
			Percent (%)	14.7%	23.9%	21.9%	39.5%	100.0%
		61-70	Count	530	771	677	1351	3329
			Percent (%)	15.9%	23.2%	20.3%	40.6%	100.0%
		71-80	Count	297	354	283	637	1571
			Percent (%)	18.9%	22.5%	18.0%	40.5%	100.0%
		>80	Count	129	121	93	216	559
			Percent (%)	23.1%	21.6%	16.6%	38.6%	100.0%
		Total	Count	3425	5525	5929	20909	35788
			Percent (%)	9.6%	15.4%	16.6%	58.4%	100.0%
Male	Age Group	0-10	Count	61	118	184	2340	2703
			Percent (%)	2.3%	4.4%	6.8%	86.6%	100.0%
		11-20	Count	56	112	171	4622	4961
			Percent (%)	1.1%	2.3%	3.4%	93.2%	100.0%
		21-30	Count	50	106	287	4156	4599
			Percent (%)	1.1%	2.3%	6.2%	90.4%	100.0%
		31-40	Count	64	174	390	4252	4880
			Percent (%)	1.3%	3.6%	8.0%	87.1%	100.0%
		41-50	Count	119	322	596	4637	5674
			Percent (%)	2.1%	5.7%	10.5%	81.7%	100.0%
		51-60	Count	182	444	732	3715	5073
			Percent (%)	3.6%	8.8%	14.4%	73.2%	100.0%
		61-70	Count	201	423	582	2199	3405
			Percent (%)	5.9%	12.4%	17.1%	64.6%	100.0%
		71-80	Count	132	275	271	919	1597
			Percent (%)	8.3%	17.2%	17.0%	57.5%	100.0%
		>80	Count	41	73	50	186	350
			Percent (%)	11.7%	20.9%	14.3%	53.1%	100.0%
		Total	Count	906	2047	3263	27026	33242
			Percent (%)	2.7%	6.2%	9.8%	81.3%	100.0%

LOSS OF BLADDER CONTROL IN FEMALES BY AGE GROUP



LOSS OF BLADDER CONTROL IN MALES BY AGE GROUP



LOSS OF BLADDER CONTROL BY GENDER AND AGE GROUP

