

Self-Reported Clinical Symptoms: Reduced Sense of Smell


All Age and Gender Groups

NOTE: Symptoms were self reported by participants and were not independently verified with medical records or by a health care professional. Limited information about the characteristics of the self-reported symptoms, such as severity, duration, or history, was collected. Inferences about population health or associations based on these self-reported symptoms should be made cautiously.


SELF-REPORTED CLINICAL SYMPTOMS BY GENDER AND AGE GROUP: REDUCED SENSE OF SMELL

| Gender | | | | Reduced Sense of Smell | | | | Total | |
|--------|-----------|-------------|-------------|------------------------|-----------|--------|--------|------------|--------|
| | | | | Frequently | Sometimes | Rarely | Never | Frequently | |
| Female | Age Group | 0-10 | Count | 5 | 20 | 64 | 2601 | 2690 | |
| | | | Percent (%) | .2% | .7% | 2.4% | 96.7% | 100.0% | |
| | 11-20 | Count | 45 | 163 | 332 | 4230 | 4770 | | |
| | | Percent (%) | .9% | 3.4% | 7.0% | 88.7% | 100.0% | | |
| | 21-30 | Count | 141 | 378 | 594 | 4295 | 5408 | | |
| | | Percent (%) | 2.6% | 7.0% | 11.0% | 79.4% | 100.0% | | |
| | 31-40 | Count | 211 | 422 | 678 | 4480 | 5791 | | |
| | | Percent (%) | 3.6% | 7.3% | 11.7% | 77.4% | 100.0% | | |
| | 41-50 | Count | 314 | 638 | 798 | 4663 | 6413 | | |
| | | Percent (%) | 4.9% | 9.9% | 12.4% | 72.7% | 100.0% | | |
| | 51-60 | Count | 312 | 481 | 590 | 3874 | 5257 | | |
| | | Percent (%) | 5.9% | 9.1% | 11.2% | 73.7% | 100.0% | | |
| | 61-70 | Count | 206 | 245 | 312 | 2566 | 3329 | | |
| | | Percent (%) | 6.2% | 7.4% | 9.4% | 77.1% | 100.0% | | |
| | 71-80 | Count | 99 | 104 | 119 | 1249 | 1571 | | |
| | | Percent (%) | 6.3% | 6.6% | 7.6% | 79.5% | 100.0% | | |
| | >80 | Count | 49 | 36 | 45 | 429 | 559 | | |
| | | Percent (%) | 8.8% | 6.4% | 8.1% | 76.7% | 100.0% | | |
| | Total | | | Count | 1382 | 2487 | 3532 | 28387 | 35788 |
| | | | | Percent (%) | 3.9% | 6.9% | 9.9% | 79.3% | 100.0% |
| Male | Age Group | 0-10 | Count | 5 | 27 | 68 | 2603 | 2703 | |
| | | | Percent (%) | .2% | 1.0% | 2.5% | 96.3% | 100.0% | |
| | 11-20 | Count | 65 | 164 | 364 | 4368 | 4961 | | |
| | | Percent (%) | 1.3% | 3.3% | 7.3% | 88.0% | 100.0% | | |
| | 21-30 | Count | 169 | 373 | 495 | 3562 | 4599 | | |
| | | Percent (%) | 3.7% | 8.1% | 10.8% | 77.5% | 100.0% | | |
| | 31-40 | Count | 232 | 383 | 495 | 3770 | 4880 | | |
| | | Percent (%) | 4.8% | 7.8% | 10.1% | 77.3% | 100.0% | | |
| | 41-50 | Count | 289 | 476 | 625 | 4284 | 5674 | | |
| | | Percent (%) | 5.1% | 8.4% | 11.0% | 75.5% | 100.0% | | |
| | 51-60 | Count | 310 | 480 | 539 | 3744 | 5073 | | |
| | | Percent (%) | 6.1% | 9.5% | 10.6% | 73.8% | 100.0% | | |
| | 61-70 | Count | 244 | 284 | 320 | 2557 | 3405 | | |
| | | Percent (%) | 7.2% | 8.3% | 9.4% | 75.1% | 100.0% | | |
| | 71-80 | Count | 117 | 117 | 136 | 1227 | 1597 | | |
| | | Percent (%) | 7.3% | 7.3% | 8.5% | 76.8% | 100.0% | | |
| | >80 | Count | 29 | 20 | 30 | 271 | 350 | | |
| | | Percent (%) | 8.3% | 5.7% | 8.6% | 77.4% | 100.0% | | |
| | Total | | | Count | 1460 | 2324 | 3072 | 26386 | 33242 |
| | | | | Percent (%) | 4.4% | 7.0% | 9.2% | 79.4% | 100.0% |

SELF-REPORTED REDUCED SENSE OF SMELL IN FEMALES AGE GROUP



SELF-REPORTED REDUCED SENSE OF SMELL IN MALES AGE GROUP



SELF-REPORTED REDUCED SENSE OF SMELL BY GENDER AND AGE GROUP

