

# SELF-REPORTED DIAGNOSIS OF GALL BLADDER CANCER

## STRATIFIED BY GENDER AND AGE-GROUP

				Gall Bladder Cancer			Total		
				NO CANCER/ NO RESPONSE	PRIMARY	SECONDARY			
Female	Age Group	0-10	Count	2690	0	0	2690		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		11-20	Count	4770	0	0	4770		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		21-30	Count	5408	0	0	5408		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		31-40	Count	5791	0	0	5791		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		41-50	Count	6411	1	1	6413		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		51-60	Count	5254	2	1	5257		
			Percent (%)	99.9%	.0%	.0%	100.0%		
		61-70	Count	3328	0	1	3329		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		71-80	Count	1571	0	0	1571		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		>80	Count	558	0	1	559		
			Percent (%)	99.8%	.0%	.2%	100.0%		
		Total			Count	35781	3	4	35788
					Percent (%)	100.0%	.0%	.0%	100.0%
Male	Age Group	0-10	Count	2703	0	0	2703		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		11-20	Count	4961	0	0	4961		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		21-30	Count	4599	0	0	4599		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		31-40	Count	4880	0	0	4880		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		41-50	Count	5674	0	0	5674		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		51-60	Count	5072	0	1	5073		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		61-70	Count	3404	1	0	3405		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		71-80	Count	1597	0	0	1597		
			Percent (%)	100.0%	.0%	.0%	100.0%		
		>80	Count	349	1	0	350		
			Percent (%)	99.7%	.3%	.0%	100.0%		
		Total			Count	33239	2	1	33242
					Percent (%)	100.0%	.0%	.0%	100.0%