


***Self-Reported Diagnosis of Bladder Cancer in Adults
Stratified by Gender and Age***

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Bladder Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3011	99.97%
Female	1	30-50	Yes	3012	1	0.03%
Female	1	51-older	No	2737	2731	99.78%
Female	1	51-older	Yes	2737	6	0.22%
Female	2	30-50	No	3035	3033	99.93%
Female	2	30-50	Yes	3035	2	0.07%
Female	2	51-older	No	2748	2744	99.85%
Female	2	51-older	Yes	2748	4	0.15%
Female	3	30-50	No	3015	3014	99.97%
Female	3	30-50	Yes	3015	1	0.03%
Female	3	51-older	No	2736	2731	99.82%
Female	3	51-older	Yes	2736	5	0.18%
Female	4	30-50	No	3021	3019	99.93%
Female	4	30-50	Yes	3021	2	0.07%
Female	4	51-older	No	2742	2735	99.74%
Female	4	51-older	Yes	2742	7	0.26%
Male	1	30-50	No	2601	2599	99.92%
Male	1	30-50	Yes	2601	2	0.08%
Male	1	51-older	No	2666	2641	99.06%
Male	1	51-older	Yes	2666	25	0.94%
Male	2	30-50	No	2621	2620	99.96%
Male	2	30-50	Yes	2621	1	0.04%
Male	2	51-older	No	2648	2627	99.21%
Male	2	51-older	Yes	2648	21	0.79%
Male	3	30-50	No	2603	2601	99.92%
Male	3	30-50	Yes	2603	2	0.08%
Male	3	51-older	No	2660	2636	99.10%
Male	3	51-older	Yes	2660	24	0.90%
Male	4	30-50	No	2608	2605	99.88%
Male	4	30-50	Yes	2608	3	0.12%
Male	4	51-older	No	2656	2641	99.44%
Male	4	51-older	Yes	2656	15	0.56%

NOTE: All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Bladder Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Bladder Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Bladder Cancer in Male Adults Stratified by Age

