


Serum C8 By Blood Urea Nitrogen Levels In Participants ≥ 18 And < 60 Years Of Age

C8 (ng-mL)

BUN	Gender	N	Mean
LOW	Female	342	50.9611
	Male	99	106.1657
	Total	441	63.3540
NORMAL	Female	22859	61.1782
	Male	19951	96.9189
	Total	42810	77.8347
HIGH	Female	564	64.8406
	Male	1091	124.1404
	Total	1655	103.9319
Total	Female	23765	61.1181
	Male	21141	98.3670
	Total	44906	78.6543

Serum C8 By Blood Urea Nitrogen Levels In Participants ≥ 18 And < 60 Years Of Age



Low < 5 , Normal 5-18, High > 18 (Units: mg/dL)
 Source: <http://www.hosp.uky.edu/ClinLab/report.pdf>

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.