


## Serum C8 By Blood Urea Nitrogen Levels In Participants <12 Years Of Age

C8 (ng-mL)

BUN	Gender	N	Mean
LOW	Female	1	47.3000
	Male	2	20.6500
	Total	3	29.5333
NORMAL	Female	2220	71.6236
	Male	2205	81.0450
	Total	4425	76.3184
HIGH	Female	142	67.7028
	Male	246	82.5911
	Total	388	77.1423
Total	Female	2363	71.3777
	Male	2453	81.1508
	Total	4816	76.3556

## Serum C8 By Blood Urea Nitrogen Levels In Participants <12 Years Of Age



Low <5, Normal 5-18, High >18 (Units: mg/dL)  
 Source: <http://www.hosp.uky.edu/ClinLab/report.pdf>

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.