


Serum C8 By Creatinine (Serum) Levels In Participants <18 Years Of Age

C8 (ng-mL)

Creatinine (Serum)	Gender	N	Mean
LOW	Female	482	80.9660
	Male	440	84.0157
	Total	922	82.4214
NORMAL	Female	4623	59.8261
	Male	4992	73.8402
	Total	9615	67.1021
HIGH	Male	2	10.6500
	Total	2	10.6500
Total	Female	5105	61.8221
	Male	5434	74.6409
	Total	10539	68.4315

Serum C8 By Creatinine (Serum) Levels In Participants <18 Years Of Age



Low <0.5, Normal 0.5 to 1.5, High >1.5 (Units: mg/dL)
 Source: <http://www.labcorp.com/datasets/labcorp/html/chapter/mono/pr003900.htm>

¹ Note, very small sample size.

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.