


Serum C8 By Iron (Serum) Levels In Participants <18 Years Of Age

C8 (ng-mL)

Iron (Serum)	Gender	N	Mean
LOW	Female	462	60.3784
	Male	340	81.2765
	Total	802	69.2379
NORMAL	Female	4579	62.1374
	Male	5032	74.4195
	Total	9611	68.5679
HIGH	Female	64	49.6859
	Male	62	56.2145
	Total	126	52.8984
Total	Female	5105	61.8221
	Male	5434	74.6409
	Total	10539	68.4315

Serum C8 By Iron (Serum) Levels In Participants <18 Years Of Age



Low <40, Normal 40-180, High >180 (Units: $\mu\text{g/dL}$)

Source: <http://www.labcorp.com/datasets/labcorp/html/chapter/mono/pr005800.htm>

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.