


Serum C8 By Monocyte (Absolute) Levels In Participants <18 Years Of Age

C8 (ng-mL)

Monocytes (Absolute)	Gender	N	Mean
LOW	Female	1	41.0000
	Total	1	41.0000
NORMAL	Female	5015	61.6627
	Male	5306	73.8943
	Total	10321	67.9509
HIGH	Female	28	50.2857
	Male	52	85.8462
	Total	80	73.4000
Total	Female	5044	61.5955
	Male	5358	74.0103
	Total	10402	67.9903

Serum C8 By Monocyte (Absolute) Levels In Participants <18 Years Of Age



Low <0.1, Normal 0.1-1.0, High >1.0 (Units: 10³/μL)
 Source: Labcorp Sample Test

¹ Note, very small sample size.

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.