


## Serum C8 By Neutrophil Levels In Participants $\geq 18$ Years Of Age

C8 (ng-mL)

Neutrophils	Gender	N	Mean
LOW	Female	165	70.2418
	Male	168	96.0125
	Total	333	83.2432
NORMAL	Female	26995	70.3224
	Male	24777	103.2003
	Total	51772	86.0571
HIGH	Female	2062	64.0499
	Male	1600	101.6735
	Total	3662	80.4884
Total	Female	29222	69.8793
	Male	26545	103.0628
	Total	55767	85.6746

## Serum C8 By Neutrophil Levels In Participants $\geq 18$ Years Of Age



Low <40, Normal 40-74, High >74 (Units: %)  
Source: Labcorp Sample Test

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.