


## Serum C8 By Neutrophil Levels In Participants <18 Years Of Age

C8 (ng-mL)

Neutrophils	Gender	N	Mean
LOW	Female	268	76.2597
	Male	358	82.4698
	Total	626	79.8112
NORMAL	Female	4635	60.7565
	Male	4887	73.7161
	Total	9522	67.4078
HIGH	Female	141	61.3014
	Male	113	59.9319
	Total	254	60.6921
Total	Female	5044	61.5955
	Male	5358	74.0103
	Total	10402	67.9903

## Serum C8 By Neutrophil Levels In Participants <18 Years Of Age



Low <40, Normal 40-74, High >74 (Units: %)

Source: Labcorp Sample Test

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.