# Self-Reported Diagnosis of Lung Cancer in Adults
Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Lung Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3011	3011	100.0%
Female	1	51-older	No	2736	2722	99.49%
Female	1	51-older	Yes	2736	14	0.51%
Female	2	30-50	No	3034	3033	99.97%
Female	2	30-50	Yes	3034	1	0.03%
Female	2	51-older	No	2745	2740	99.82%
Female	2	51-older	Yes	2745	5	0.18%
Female	3	30-50	No	3013	3011	99.93%
Female	3	30-50	Yes	3013	2	0.07%
Female	3	51-older	No	2736	2728	99.71%
Female	3	51-older	Yes	2736	8	0.29%
Female	4	30-50	No	3022	3019	99.90%
Female	4	30-50	Yes	3022	3	0.10%
Female	4	51-older	No	2737	2726	99.60%
Female	4	51-older	Yes	2737	11	0.40%
Male	1	30-50	No	2601	2599	99.92%
Male	1	30-50	Yes	2601	2	0.08%
Male	1	51-older	No	2660	2637	99.14%
Male	1	51-older	Yes	2660	23	0.86%
Male	2	30-50	No	2609	2607	99.92%
Male	2	30-50	Yes	2609	2	0.08%
Male	2	51-older	No	2644	2621	99.13%
Male	2	51-older	Yes	2644	23	0.87%
Male	3	30-50	No	2615	2614	99.96%
Male	3	30-50	Yes	2615	1	0.04%
Male	3	51-older	No	2661	2645	99.40%
Male	3	51-older	Yes	2661	16	0.60%
Male	4	30-50	No	2607	2605	99.92%
Male	4	30-50	Yes	2607	2	0.08%
Male	4	51-older	No	2657	2644	99.51%
Male	4	51-older	Yes	2657	13	0.49%

NOTE:All results reported here are based on information as reportedby participants and were not independently verified. The association between self-reported Lung Cancer and C8/PFOA is unadjusted for any potential confounders or covariates.Caution in interpretation is warranted.

Self- Reported Diagnosis of Lung Cancer in Female Adults
Stratified by Age

Self- Reported Diagnosis of Lung Cancer in Male Adults
Stratified by Age