


***Self-Reported Diagnosis of Rectal Cancer in Adults
Stratified by Gender and Age***

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Rectal Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3011	3010	99.97%
Female	1	30-50	Yes	3011	1	0.03%
Female	1	51-older	No	2738	2735	99.89%
Female	1	51-older	Yes	2738	3	0.11%
Female	2	30-50	No	3036	3034	99.93%
Female	2	30-50	Yes	3036	2	0.07%
Female	2	51-older	No	2749	2745	99.85%
Female	2	51-older	Yes	2749	4	0.15%
Female	3	30-50	No	3015	3014	99.97%
Female	3	30-50	Yes	3015	1	0.03%
Female	3	51-older	No	2736	2732	99.85%
Female	3	51-older	Yes	2736	4	0.15%
Female	4	30-50	No	3022	3021	99.97%
Female	4	30-50	Yes	3022	1	0.03%
Female	4	51-older	No	2743	2740	99.89%
Female	4	51-older	Yes	2743	3	0.11%
Male	1	30-50	No	2601	2599	99.92%
Male	1	30-50	Yes	2601	2	0.08%
Male	1	51-older	No	2666	2656	99.62%
Male	1	51-older	Yes	2666	10	0.38%
Male	2	30-50	No	2621	2621	100.0%
Male	2	51-older	No	2649	2645	99.85%
Male	2	51-older	Yes	2649	4	0.15%
Male	3	30-50	No	2603	2603	100.0%
Male	3	51-older	No	2661	2655	99.77%
Male	3	51-older	Yes	2661	6	0.23%
Male	4	30-50	No	2608	2606	99.92%
Male	4	30-50	Yes	2608	2	0.08%
Male	4	51-older	No	2659	2656	99.89%
Male	4	51-older	Yes	2659	3	0.11%

NOTE: All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Rectal Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Rectal Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Rectal Cancer in Male Adults Stratified by Age

