


***Self-Reported Diagnosis of Lupus in Adults
Stratified by Gender and Age***

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Lupus	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3000	99.60%
Female	1	30-50	Yes	3012	12	0.40%
Female	1	51-older	No	2738	2711	99.01%
Female	1	51-older	Yes	2738	27	0.99%
Female	2	30-50	No	3036	3013	99.24%
Female	2	30-50	Yes	3036	23	0.76%
Female	2	51-older	No	2749	2732	99.38%
Female	2	51-older	Yes	2749	17	0.62%
Female	3	30-50	No	3015	3003	99.60%
Female	3	30-50	Yes	3015	12	0.40%
Female	3	51-older	No	2744	2727	99.38%
Female	3	51-older	Yes	2744	17	0.62%
Female	4	30-50	No	3022	3009	99.57%
Female	4	30-50	Yes	3022	13	0.43%
Female	4	51-older	No	2739	2721	99.34%
Female	4	51-older	Yes	2739	18	0.66%
Male	1	30-50	No	2601	2600	99.96%
Male	1	30-50	Yes	2601	1	0.04%
Male	1	51-older	No	2668	2664	99.85%
Male	1	51-older	Yes	2668	4	0.15%
Male	2	30-50	No	2621	2619	99.92%
Male	2	30-50	Yes	2621	2	0.08%
Male	2	51-older	No	2649	2646	99.89%
Male	2	51-older	Yes	2649	3	0.11%
Male	3	30-50	No	2603	2599	99.85%
Male	3	30-50	Yes	2603	4	0.15%
Male	3	51-older	No	2662	2659	99.89%
Male	3	51-older	Yes	2662	3	0.11%
Male	4	30-50	No	2608	2607	99.96%
Male	4	30-50	Yes	2608	1	0.04%
Male	4	51-older	No	2659	2659	100.0%

NOTE: All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Lupus and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Lupus in Female Adults Stratified by Age



Self- Reported Diagnosis of Lupus in Male Adults Stratified by Age

