


***Self-Reported Diagnosis of Scleroderma in Adults
Stratified by Gender and Age***

| Gender | Quartile of C8 PFOA | AGE GROUP | Diagnosis of Scleroderma | Population in Quartile | Num of Reported | Percent in Quartile |
|---------------|----------------------------|------------------|---------------------------------|-------------------------------|------------------------|----------------------------|
| Female | 1 | 30-50 | No | 3012 | 3011 | 99.97% |
| Female | 1 | 30-50 | Yes | 3012 | 1 | 0.03% |
| Female | 1 | 51-older | No | 2738 | 2733 | 99.82% |
| Female | 1 | 51-older | Yes | 2738 | 5 | 0.18% |
| Female | 2 | 30-50 | No | 3036 | 3035 | 99.97% |
| Female | 2 | 30-50 | Yes | 3036 | 1 | 0.03% |
| Female | 2 | 51-older | No | 2749 | 2746 | 99.89% |
| Female | 2 | 51-older | Yes | 2749 | 3 | 0.11% |
| Female | 3 | 30-50 | No | 3015 | 3012 | 99.90% |
| Female | 3 | 30-50 | Yes | 3015 | 3 | 0.10% |
| Female | 3 | 51-older | No | 2744 | 2739 | 99.82% |
| Female | 3 | 51-older | Yes | 2744 | 5 | 0.18% |
| Female | 4 | 30-50 | No | 3022 | 3017 | 99.83% |
| Female | 4 | 30-50 | Yes | 3022 | 5 | 0.17% |
| Female | 4 | 51-older | No | 2739 | 2733 | 99.78% |
| Female | 4 | 51-older | Yes | 2739 | 6 | 0.22% |
| Male | 1 | 30-50 | No | 2601 | 2600 | 99.96% |
| Male | 1 | 30-50 | Yes | 2601 | 1 | 0.04% |
| Male | 1 | 51-older | No | 2668 | 2666 | 99.93% |
| Male | 1 | 51-older | Yes | 2668 | 2 | 0.07% |
| Male | 2 | 30-50 | No | 2621 | 2621 | 100.0% |
| Male | 2 | 51-older | No | 2649 | 2647 | 99.92% |
| Male | 2 | 51-older | Yes | 2649 | 2 | 0.08% |
| Male | 3 | 30-50 | No | 2603 | 2603 | 100.0% |
| Male | 3 | 51-older | No | 2662 | 2660 | 99.92% |
| Male | 3 | 51-older | Yes | 2662 | 2 | 0.08% |
| Male | 4 | 30-50 | No | 2608 | 2608 | 100.0% |
| Male | 4 | 51-older | No | 2659 | 2657 | 99.92% |
| Male | 4 | 51-older | Yes | 2659 | 2 | 0.08% |

NOTE: All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Scleroderma and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Scleroderma in Female Adults Stratified by Age



Self- Reported Diagnosis of Scleroderma in Male Adults Stratified by Age

