


Summary Results for Hematocrit for Participants > 17 Years of Age

HEMATOCRIT IN FEMALE SUBJECTS AGED >17 YEARS

PARTICIPANTS=29340, MEAN=40.70, STANDARD DEVIATION=3.35

1st PERCENTILE=31.70, MEDIAN=40.80, 99th PERCENTILE=48.30




NORMAL RANGE 35-45 %, TAKEN FROM <http://www.hosp.uky.edu/ClinLab/report.pdf>

HEMATOCRIT IN MALE SUBJECTS AGED >17 YEARS

PARTICIPANTS=26668, MEAN=45.61, STANDARD DEVIATION=3.37


1st PERCENTILE=35.70, MEDIAN=45.80, 99th PERCENTILE=52.90



NORMAL RANGE 40-50 %, TAKEN FROM <http://www.hosp.uky.edu/ClinLab/report.pdf>

HEMATOCRIT IN SUBJECTS AGED >17 YEARS

BY HEMATOCRIT CATEGORY WITHIN GENDER (PARTICIPANTS=56008)



1. FOR FEMALE IN THIS AGE GROUP, NORMAL RANGE IS 35-45 %
2. FOR MALE IN THIS AGE GROUP, NORMAL RANGE IS 40-50 %
3. RANGES TAKEN FROM <http://www.hosp.uky.edu/ClinLab/report.pdf>
4. RESULTS BASED ON LAB VALUES, NOT DIAGNOSIS

Reader's Guide to Understanding This Information:

Approximately 85% of adult participants had normal hematocrit levels. Similar proportions of men and women had lower than expected hematocrit (5%) and elevated hematocrit levels (8%).