

SELF-REPORTED DIAGNOSIS OF CUSHINGS
STRATIFIED BY GENDER AND AGE GROUP

AGE GROUP (years)	GENDER	SELF-REPORTED	POPULATION	# REPORTED	PERCENT
0-10	Female	No	2690	2689	99.963%
0-10	Female	Yes	2690	1	0.037%
0-10	Male	No	2703	2703	100.00%
0-10	Male	Yes	2703	0	0.000%
11-20	Female	No	4770	4770	100.00%
11-20	Female	Yes	4770	0	0.000%
11-20	Male	No	4961	4960	99.980%
11-20	Male	Yes	4961	1	0.020%
21-30	Female	No	5408	5408	100.00%
21-30	Female	Yes	5408	0	0.000%
21-30	Male	No	4599	4598	99.978%
21-30	Male	Yes	4599	1	0.022%
31-40	Female	No	5791	5789	99.965%
31-40	Female	Yes	5791	2	0.035%
31-40	Male	No	4880	4880	100.00%
31-40	Male	Yes	4880	0	0.000%
41-50	Female	No	6413	6407	99.906%
41-50	Female	Yes	6413	6	0.094%
41-50	Male	No	5674	5673	99.982%
41-50	Male	Yes	5674	1	0.018%
51-60	Female	No	5257	5249	99.848%
51-60	Female	Yes	5257	8	0.152%
51-60	Male	No	5073	5072	99.980%
51-60	Male	Yes	5073	1	0.020%
61-70	Female	No	3329	3328	99.970%
61-70	Female	Yes	3329	1	0.030%
61-70	Male	No	3405	3404	99.971%
61-70	Male	Yes	3405	1	0.029%
71-80	Female	No	1571	1571	100.00%
71-80	Female	Yes	1571	0	0.000%
71-80	Male	No	1597	1596	99.937%
71-80	Male	Yes	1597	1	0.063%
>80	Female	No	559	559	100.00%
>80	Female	Yes	559	0	0.000%
>80	Male	No	350	350	100.00%
>80	Male	Yes	350	0	0.000%

NOTE: Because of the very low self-reported prevalence of ALS in this population, graphical summaries are not included.