


SELF-REPORTED DIAGNOSIS OF FIBROMYALGIA
STRATIFIED BY GENDER AND AGE GROUP

AGE GROUP (years)	GENDER	SELF-REPORTED	POPULATION	# REPORTED	PERCENT
0-10	Female	No	2690	2690	100.00%
0-10	Female	Yes	2690	0	0.000%
0-10	Male	No	2703	2703	100.00%
0-10	Male	Yes	2703	0	0.000%
11-20	Female	No	4770	4767	99.937%
11-20	Female	Yes	4770	3	0.063%
11-20	Male	No	4961	4960	99.980%
11-20	Male	Yes	4961	1	0.020%
21-30	Female	No	5408	5356	99.038%
21-30	Female	Yes	5408	52	0.962%
21-30	Male	No	4599	4594	99.891%
21-30	Male	Yes	4599	5	0.109%
31-40	Female	No	5791	5635	97.306%
31-40	Female	Yes	5791	156	2.694%
31-40	Male	No	4880	4868	99.754%
31-40	Male	Yes	4880	12	0.246%
41-50	Female	No	6413	6111	95.291%
41-50	Female	Yes	6413	302	4.709%
41-50	Male	No	5674	5644	99.471%
41-50	Male	Yes	5674	30	0.529%
51-60	Female	No	5257	4904	93.285%
51-60	Female	Yes	5257	353	6.715%
51-60	Male	No	5073	5036	99.271%
51-60	Male	Yes	5073	37	0.729%
61-70	Female	No	3329	3139	94.293%
61-70	Female	Yes	3329	190	5.707%
61-70	Male	No	3405	3392	99.618%
61-70	Male	Yes	3405	13	0.382%
71-80	Female	No	1571	1524	97.008%
71-80	Female	Yes	1571	47	2.992%
71-80	Male	No	1597	1593	99.750%
71-80	Male	Yes	1597	4	0.250%
>80	Female	No	559	554	99.106%
>80	Female	Yes	559	5	0.894%
>80	Male	No	350	349	99.714%
>80	Male	Yes	350	1	0.286%

SELF-REPORTED DIAGNOSIS OF FIBROMYALGIA IN FEMALES

STRATIFIED BY AGE GROUP



SELF-REPORTED DIAGNOSIS OF FIBROMYALGIA IN MALES

STRATIFIED BY AGE GROUP

