


SELF-REPORTED DIAGNOSIS OF RAYNAUD'S SYNDROME BY GENDER AND AGE GROUP

				Diagnosed Raynaud's Syndrome		Total
				NO	YES	
Female	Age Group	0-10	Count	2689	1	2690
			Percent (%)	100.0%	.0%	100.0%
		11-20	Count	4768	2	4770
			Percent (%)	100.0%	.0%	100.0%
		21-30	Count	5389	19	5408
			Percent (%)	99.6%	.4%	100.0%
		31-40	Count	5754	37	5791
			Percent (%)	99.4%	.6%	100.0%
		41-50	Count	6369	44	6413
			Percent (%)	99.3%	.7%	100.0%
		51-60	Count	5205	52	5257
			Percent (%)	99.0%	1.0%	100.0%
		61-70	Count	3300	29	3329
			Percent (%)	99.1%	.9%	100.0%
		71-80	Count	1562	9	1571
			Percent (%)	99.4%	.6%	100.0%
		>80	Count	558	1	559
			Percent (%)	99.8%	.2%	100.0%
	Total		Count	35594	194	35788
			Percent (%)	99.5%	.5%	100.0%
Male	Age Group	0-10	Count	2703	0	2703
			Percent (%)	100.0%	.0%	100.0%
		11-20	Count	4960	1	4961
			Percent (%)	100.0%	.0%	100.0%
		21-30	Count	4598	1	4599
			Percent (%)	100.0%	.0%	100.0%
		31-40	Count	4877	3	4880
			Percent (%)	99.9%	.1%	100.0%
		41-50	Count	5670	4	5674
			Percent (%)	99.9%	.1%	100.0%
		51-60	Count	5066	7	5073
			Percent (%)	99.9%	.1%	100.0%
		61-70	Count	3396	9	3405
			Percent (%)	99.7%	.3%	100.0%
		71-80	Count	1593	4	1597
			Percent (%)	99.7%	.3%	100.0%
		>80	Count	348	2	350
			Percent (%)	99.4%	.6%	100.0%
	Total		Count	33211	31	33242
			Percent (%)	99.9%	.1%	100.0%

SELF-REPORTED RAYNAUD'S SYNDROME IN FEMALES BY AGE GROUP



SELF-REPORTED RAYNAUD'S SYNDROME IN MALES BY AGE GROUP

