


SELF-REPORTED DIAGNOSIS OF STROKE BY GENDER AND AGE GROUP

				Diagnosed Stroke		Total
				No	Yes	
Female	Age Group	0-10	Count	2688	2	2690
			Percent (%)	99.9%	.1%	100.0%
		11-20	Count	4766	4	4770
			Percent (%)	99.9%	.1%	100.0%
		21-30	Count	5404	4	5408
			Percent (%)	99.9%	.1%	100.0%
		31-40	Count	5760	31	5791
			Percent (%)	99.5%	.5%	100.0%
		41-50	Count	6352	61	6413
			Percent (%)	99.0%	1.0%	100.0%
		51-60	Count	5138	119	5257
			Percent (%)	97.7%	2.3%	100.0%
		61-70	Count	3196	133	3329
			Percent (%)	96.0%	4.0%	100.0%
		71-80	Count	1440	131	1571
			Percent (%)	91.7%	8.3%	100.0%
		>80	Count	496	63	559
			Percent (%)	88.7%	11.3%	100.0%
	Total		Count	35240	548	35788
			Percent (%)	98.5%	1.5%	100.0%
Male	Age Group	0-10	Count	2703	0	2703
			Percent (%)	100.0%	.0%	100.0%
		11-20	Count	4960	1	4961
			Percent (%)	100.0%	.0%	100.0%
		21-30	Count	4595	4	4599
			Percent (%)	99.9%	.1%	100.0%
		31-40	Count	4862	18	4880
			Percent (%)	99.6%	.4%	100.0%
		41-50	Count	5608	66	5674
			Percent (%)	98.8%	1.2%	100.0%
		51-60	Count	4951	122	5073
			Percent (%)	97.6%	2.4%	100.0%
		61-70	Count	3250	155	3405
			Percent (%)	95.4%	4.6%	100.0%
		71-80	Count	1481	116	1597
			Percent (%)	92.7%	7.3%	100.0%
		>80	Count	296	54	350
			Percent (%)	84.6%	15.4%	100.0%
	Total		Count	32706	536	33242
			Percent (%)	98.4%	1.6%	100.0%

SELF-REPORTED STROKE IN FEMALES BY AGE-GROUP



SELF-REPORTED STROKE IN MALES BY AGE GROUP

